



Toll Free: 87 PERMATEX
(877-376-2839)

10 Columbus Blvd., Hartford,
Connecticut 06106

6875 Parkland Boulevard, Solon
Ohio 44139

Technical Data Sheet

Permatex® Disposable Nitrile Gloves

INDUSTRIAL

PRODUCT DESCRIPTION

S.I.N.: 834-300

Permatex® Disposable Nitrile Gloves are made from a 100% synthetic rubber that provides superior resistance to a wide range of solvents and hazardous chemicals. Nitrile gloves are an alternative for users with latex sensitivity. Permatex® Disposable Nitrile gloves feature textured fingers that provide a secure grip on dirty parts and tools. Lightly powdered, the gloves are easy to put on and take off. When superior chemical resistance is required, Permatex® Disposable Nitrile Gloves provide mechanics with ideal heavy-duty hand protection.

PRODUCT BENEFITS

- Comfortable
- Chemical Resistant
- Textured Fingers
- Lightly Powdered
- Fits either hand
- Beaded cuff
- No Natural Rubber Latex Proteins

TYPICAL APPLICATIONS

- Permatex Nitrile Disposable Gloves offer protection from greases, fuels, oils and many other types of solvents and acids.

PHYSICAL CHARACTERISTICS

Glove Dimensions:

Part Number	Length (inches)	Palm Width (inches)
09184	9	3.7
09185	9	4.3
09186	9	4.7

Thickness (mils)

Finger	5.0
Palm	4.0
Cuff	4.0

Tensile Properties

Tensile Strength, Mpa (Minimum)	21
Elongation, % (Minimum)	550

Specifications

Sterility:	Non-Sterile
Intended Use:	Automotive, Industrial
Basic Material:	Nitrile Butadiene Rubber

Material Safety Data

Product:	Nitrile industrial gloves
IATO/IACO	Not Restricted
Hazard Rating:	Not Restricted
D.O.T. Rating:	Not Restricted

Fire and Explosion

Stability:	Stable
Flash Point:	Not applicable
Extinguishing Data:	Foam, Carbon Dioxide, Water

Normal Precautions

Ventilation:	Not necessary under normal conditions.
Equipment:	Not necessary
Spill/Cleanup:	Not applicable
Eyes:	Not applicable
Storage:	No special precautions necessary

Nitrile Chemical Resistance Guide

Acetic Acid	G	Mineral Spirits	G
Acetone	F	Motor Oil	E
Ammonium Hydroxide	G	Naphtha	F
Butyl Cellosolve	E	Perchloroethylene	F
Ethyl Alcohol	G	Sodium Hydroxide	E
Ethylene Glycol	E	Starting Fluid (Ethyl Ether)	F
Gasoline	F	Stoddard Solvent	E
Hydrochloric Acid (10%)	E	Sulfuric Acid	E
Isopropyl Alcohol	G	Synthetic Oil	E
Kerosene	E	Toluene	F
Methyl Alcohol	P	Turpentine	G
Mineral Oil	E	Xylene	F

E=Excellent G=Good F=Fair P=Poor

GENERAL INFORMATION

Components used in the making of these gloves may cause allergic reactions in some people. Do not use if you know or suspect that you are sensitive to Nitrile without first consulting a physician. If allergic reactions do occur, discontinue use immediately and consult with a physician. These gloves are not made from natural rubber latex. According to a NIOSH (National Institute for Occupational Safety and Health) Alert, use of non-natural rubber latex gloves (such as Nitrile) is an effective method of preventing allergic reactions to natural rubber latex in the workplace. NIOSH recommends the use of nonlatex gloves (such as Nitrile) for activities such as automotive, autobody, aircraft service and certain kinds of laboratory work.

NOT FOR PRODUCT SPECIFICATIONS.

THE TECHNICAL DATA CONTAINED HEREIN ARE INTENDED AS REFERENCE ONLY.

PLEASE CONTACT PERMATEX, INC., TECHNICAL SERVICE DEPARTMENT FOR ASSISTANCE AND RECOMMENDATIONS FOR YOUR SPECIFIC APPLICATION.
PERMATEX, INC., HARTFORD SQUARE NORTH, 10 COLUMBUS BOULEVARD, HARTFORD, CT 06106 PHONE - (1-87PERMATEX) 12/03

This product is not intended to protect against all chemical compounds. The user should determine the proper glove for a given application. Do not use for protection in a chemical emergency, in fire-fighting applications, against cryogenic agents, or in flammable or explosive atmospheres, as these gloves may burn.

ORDERING INFORMATION

Part Number	Size
09184	100-ct. Box - Medium
09185	100-ct. Box - Large
09186	100-ct. Box - X-Large
09191	100-ct. Box – XX-Large
09194	50-ct Box – X-Large, 6 Pack

STORAGE

Products shall be ideally stored in a cool, dry location in unopened containers at a temperature between 8° to 28°C (46° to 82°F) unless otherwise labeled. Optimal storage is at the lower half of this temperature range.

NOTE

The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. **Permatex, Inc. specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Permatex, Inc. products and disclaims any liability for consequential or incidental damages of any kind, including lost profits.** This product may be covered by one or more United States or foreign patents or patent applications.